


# 2025/26 Collection





High quality ceiling fans to help you relax, sleep well, cool down, warm up, feel good, beat jet lag, impress your friends, save energy and improve your life!



# What makes Fantasia the right ceiling fan option for you!

Not all ceiling fans are created equal. Yes, we know. The ceiling fan in the Spanish Hotel room in 1987 was terrible, noisy and wobbly and you didn't dare use it. Fantasia fans are not like that. We offer high quality, well balanced motors, designed to run quietly and in a civilised manner.

Control options run from pull cord to remote control, and installations can use drop rods up to 72"183cm in length for those higher ceilings. Quality and flexibility are key parts of everything we design.

# How you will benefit from a ceiling fan?

A ceiling fan will change your life for the better. That's right, you read that correctly. People who have ceiling fans always tell us they couldn't do without one (or 6). People who've bought one often buy another and another.

The feedback from customers is very often "I don't know how I managed without a ceiling fan. Ceiling fans can be the difference between a good night's sleep and a bad night's sleep, they can make a room usable rather than far too hot, they can also even out the temperature in a room so that your radiators or heat pump (!) actually work efficiently and your thermostat actually knows what temperature the room is.

What are these things worth to you?

# The Questions we are asked most regularly:

### **Are Ceiling Fans Noisy?**

Everyone has had an experience of a noisy ceiling fan. At Fantasia, our motors are designed to be as quiet as possible and certainly at the higher end of the range we would expect you to be able to sleep under a fan spinning on medium speed all night.

# Can I operate the fan and light independently?

A surprisingly common question, the answer is yes. Complete independent control of fan and light is no problem on any Fantasia ceiling fan

# The power consumption question – AC/DC, which is best?

Lets face it, Moneytalks, and it Ain't No Fun spending too much on your energy bill, the last place you want to be is on the Highway to Hell. So is AC or DC the better motor option?

Well all Fantasia ceiling fan motors can be considered low energy as they are all below 100w when operated on high speed. DC motors do run with lower power consumption (usually 30-40w) but the main benefit comes with more features that DC motors bring. More speeds (6 rather than 3), and also pulse functions (speed up, slow down, speed up, slow down etc) mean that DC motors are a better choice for some.

# Do I need special wiring for a ceiling fan?

No, all Fantasia ceiling fans are designed to run on the 5amp lighting circuit. An earth wire connection is required.

# How does the fan attach to the ceiling? A fixing bracket or plate is included with the fan. It is essential that the ceiling fan is mounted securely to a ceiling joist (not

mounted securely to a ceiling joist (not just plasterboard) or conservatory ridge plate.

# So you know you want a ceiling fan, but which one?

### What Size?

Unless space is an issue then we recommend a 36" fan be the absolute minimum size you should fit in a room. We do make smaller ones but they are really for areas that cannot fit a larger fan. For a standard bedroom a single 42"-52" fan situated above the bed will work well, for a large rectangular lounge you may want to fit 2 x 42" fans or 1 x 52"-56" fan


### What colour/finish?

If you want the fan to blend into the ceiling then go for a White finish.

After a week or so you'll hardly notice it. If you want the fan to be a feature in the room then Brushed Nickel is lovely. You'll also find other finishes to suit your own décor.

## What's your budget?

How much you want to spend will dictate whether you go for a DC motor rather than an AC motor, or if you have remote control operation rather than pull cord. Very generally larger ceiling fans cost a little more too.



### Contact us

We're a small family business and we want to help as much as possible but calling us on the phone (particularly in Summer) will not be the quickest way of getting answers to your questions. The best options are:

- 1. Check the website knowledge base. Your questions will have been asked before and the answer is there. www.fantasiaceilingfans.com.
- 2. Live chat. Also on our website, we can respond quickly there.
- 3. Whatsapp. Message us on 07599 095556 and again you will get an answer quickly.



Effortless air movement



**CONSUMPTION** ON HIGH SPEED WITH

MAX AIRFLOW 7100 CU/FT **PER MINUTE** 


Remote Control Included

# **KEY FEATURES AND BENEFITS**

- Lovely sleek design
- Complete with remote control system offering 6 speeds in forward & reverse and light on/off/dim, and 1hr, 3hr, 4hr timer

**Extra Efficiency** 

- 20w Dimmable LED light
- Elegant curved blade style
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm
- Longer drop rods available




## **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow




Zeta



# **KEY FEATURES AND BENEFITS**

- Low energy DC motor
- Complete with remote control system offering 6 speeds in forward & reverse and light on/off/dim
- 18w LED light
- Elegant curved blade style
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm
  air
- Flush mount only




# **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow




# Luna



# **KEY FEATURES AND BENEFITS**

- Lovely sleek design
- Complete with remote control system offering 6 speeds in forward & reverse and light on/off/dim, and 1hr, 2hr, 4hr timer
- 22w Dimmable LED light
- LED Light with colour changing technology. Can be set at colour temperatures 3000k, 4000k or 6000
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



## **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow




# Stellar

Contemporary design, feature packed, low energy **1** Fun Fact: Stellar is new for 2025 117735 Silver 40"/102cm **Blades: Silver** Remote Control Included 117728 Matt White 40"/102cm **Blades: Matt White** Stellar comes MAX with a blanking MAX AIRFLOW **POWER** DC plate for the **CONSUMPTION** light if 6400 CU/FT preferred **PER MINUTE** ON HIGH SPEED WITH

**Extra Efficiency** 

# **KEY FEATURES AND BENEFITS**

- Our newest addition to the range
- Complete with remote control system offering 6 speeds in forward & reverse and light on/off/dim, and 1hr, 2hr, 4hr timer
- 22w Dimmable LED light, Lumens 1880/2198/1964
- LED Light with colour changing technology. Can be set at colour temperatures 3000k, 4500k or 6000
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



## **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow



# Viper Plus

The original and still one of the best



Pewter 54"/137cm 116059 Pewter 44"/112cm Blades: Gloss Black

### 116066

White 54"/137cm 116004 White 44"/112cm Blades: Gloss White

#### 116080

Stainless Steel 54"/137cm 116042 Stainless Steel 44"/112cm Blades: Maple



Note: The Viper Plus Stainless Steel is shown fitted with a flush mount kit. Its available on the product codes below

333432 333456 333470


Flush Mount Kit - St Steel

Flush Mount Kit - Pewter



# **KEY FEATURES AND BENEFITS**

- One of the best loved ceiling fans in the range
- Complete with remote control system offering 3 speeds in forward & reverse and light on/off/dim
- 22w Dimmable LED light
- Supplied as standard with a 6"/15cm drop rod, can be flush mounted with the use of an additional kit.
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available




### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow








# **KEY FEATURES AND BENEFITS**

- Unique design
- Complete with remote control system offering 3 speeds in forward. No reverse option.
- Spinning Diameter 1372mm
- Patented single blade design
- International deign award winner
- Longer drop rods available



# **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow



**Titan Turbine** 

Brushed Titanium 82"/209cm overall span

Brushed Titanium
82"/209cm overall span

117582

**LED Light** 

117575

**Titan Linear** 

Brushed Titanium 84"/214cm overall span


Brushed Titanium 84"/214cm overall span

117605

**LED Light** 

117599





# a light

Titan is shown

here without




MAX
POWER
CONSUMPTION
65w

ON HIGH SPEED WITH LIGHT SWITCHED ON MAX AIRFLOW 13367 CU/FT PER MINUTE

# **KEY FEATURES AND BENEFITS**

- Lots of air movement, Ideal for very large rooms with high ceilings
- Complete with remote control system offering 3 speeds in forward & reverse and light on/off/dim, and 1hr, 4hr, 8hr switch off timer
- 18w 6000k Dimmable LED light. Titan can be ordered with or without a light
- Reverse function on remote Use in Summer for Cooling and in Winter to re-circulate warm air
- 12" Drop Rod included



## **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow



# **Fairbanks**

Amazing Value, Contemporary Styling



White 42"/107cm **Blades: Matt White Cool White LED Light** 

### 117537

White 42"/107cm **Blades: Matt White Warm White LED Light** 

### 117551

Brushed Nickel 42"/107cm **Blades: Dark Oak Cool White LED Light** 

### 117568

Brushed Nickel 42"/107cm **Blades: Dark Oak Warm White LED Light** 



Fairbanks can be flush mounted if preferred



## **KEY FEATURES AND BENEFITS**


- Quality at a great price
- Complete with remote control system offering 3 speeds in forward & reverse and light on/off/dim, and 2hr, 4hr, 8hr switch off timer

CONSUMPTION

ON HIGH SPEED WITH

LIGHT SWITCHED ON

- 9w Dimmable LED light
- LED Light Choice of warm or cool white light bulbs. Specify when ordering
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



4900 CU/FT

**PER MINUTE** 

### **INSTALLATION**

- Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow



Unique ceiling fan rated for covered outdoor use



Chocolate Brown
52"/1320mm
Blades: Natural Brown Acrylic
Light: Patio 2 x 60w max ES

### 111665

Chocolate Brown 52"/1320mm Blades: Natural Brown Acrylic



For a different light option add the Amorie CB to the Palm fan - 221500 Note this light fitting is not IP rated












# **KEY FEATURES AND BENEFITS**

- IP54 rated, perfect for indoor or covered outdoor use
- Can be upgraded to remote control (not for outdoor use)
- Independent pull cord operates 3 speeds in forward & reverse and light on/off
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



# **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for covered outdoor spaces or large living rooms



### Defined contains and the

### 117186

Natural Iron 52"/1320mm Blades: Walnut Blade Reverse: Canadian Maple

### 117162

Matt White 52"/1320mm Blades: Matt White

#### 117179

Brushed Nickel 52"/1320mm Blades: Walnut Blade Reverse: Canadian Maple



Prima can be flush mounted if preferred






MAX
POWER
CONSUMPTION
91w
ON HIGH SPEED WITH
LIGHT SWITCHED ON

MAX AIRFLOW 5338 CU/FT PER MINUTE

# **KEY FEATURES AND BENEFITS**

- Complete with remote control system offering 3 speeds in forward & reverse and light on/off/dim
- 18w LED Light
- Versatile dual mount design
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



# **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for conservatories, orangeries, living rooms & bedrooms



# **Darwin**

A truly versatile ceiling fan





Darwin can be flush mounted if preferred




MAX
POWER
CONSUMPTION
80W
ON HIGH SPEED WITH
LIGHT SWITCHED ON



# **KEY FEATURES AND BENEFITS**

- Complete with remote control system offering 3 speeds in forward & reverse and light on/off/dim. Timer 2/4/6hr
- 15w LED Light
- Sleek 3 bladed design
- Available in 3 sizes
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



## **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for conservatories, orangeries, living rooms & bedrooms



# Classic

Traditional style that works in contemporary rooms

110224

Antique Brass 52"/1320mm Blades: Matt Oak & Cane Blades reverse: Matt Mahogany

2 110033

Gloss White 52"/1320mm Blades: Matt White Blades reverse: Matt White <sup>6</sup> & Cane

3 117827

Brushed Nickel 52"/1320mm Blades: Maple

4 110460


Gloss Black 52"/1320mm Blades: Matt Black Blades reverse: Matt Mahogany

5 110019

Polished Brass 52"/1320mm Blades: Matt Mahogany Blades reverse: Matt Oak & Cane








## **KEY FEATURES AND BENEFITS**

- Can be upgraded to remote control operation
- Independent pull cord operates 3 speeds in forward & reverse and light on/off (if a light is added)
- Dual Mount Fixing means fan can be fitted with or without drop rod
- Available in 5 finishes
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



## **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for conservatories, orangeries, living rooms & bedrooms



# Mayfair

in the Mayfair range you will find a finish to suit any decor



Gloss White 42"/107cm Light: Amorie 3 x G9 Blades: Gloss White

2 110009

White & Stainless Steel 42"/107cm Light: Amorie 3 x G9 Blades: Gloss White




Gloss White 42"/107cm Blades: Gloss White

110606

White & Stainless Steel 42"/107cm Blades: Gloss White














## **KEY FEATURES AND BENEFITS**

- Can be upgraded to remote control operation
- Independent pull cord operates 3 speeds in forward & reverse and light on/off
- Optional upgrade to LED bulbs
- Available in 7 finishes
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Can be fitted with a drop rod rather than flush mounted, conversion kit required



### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow



# Mayfair

in the Mayfair range you will find a finish to suit any decor

110996

Matt Black 42"/107cm Light: Amorie 3 x G9 Blades: Matt Black

2 111757

Chrome 42"/107cm Light: Sorrento 3 x GU10 Blades: Gloss Black

3 110507

Matt Black 42"/107cm Blades: Matt Black

4 110651

Chrome 42"/107cm Blades: Gloss Black








## **KEY FEATURES AND BENEFITS**

- Can be upgraded to remote control operation
- Independent pull cord operates 3 speeds in forward & reverse and light on/off
- Optional upgrade to LED bulbs
- Available in 7 finishes
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Can be fitted with a drop rod rather than flush mounted, conversion kit required



### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for kitchens, living rooms & bedrooms



# Mayfair

in the Mayfair range you will find a finish to suit any decor

111962

Antique Brass 42"/107cm Light: Amorie 3 x G9 Blades: Gloss Oak & Cane Blade Reverse: Mahogany

2 115496

Stainless Steel 42"/107cm Light: Amorie 3 x G9 Blades: Dark Oak

3 110057

Antique Brass 42"/107cm Blades: Gloss Oak & Cane Blade Reverse: Mahogany

4 115441

Stainless Steel 42"/107cm Blades: Dark Oak









2


MAX AIRFLOW 5216 CU/FT PER MINUTE

# **KEY FEATURES AND BENEFITS**

- Can be upgraded to remote control operation
- Independent pull cord operates 3 speeds in forward & reverse and light on/off

**Optional upgrade to LED bulbs** 

- Available in 7 finishes
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Can be fitted with a drop rod rather than flush mounted, conversion kit required



### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for kitchens, living rooms & bedrooms



#### 110538

Gloss White & Stainless Steel 36"/92cm Light: 3x60w Max SES Blades: Matt White

### 110194

Gloss White 36"/92cm Light: 3x60w Max SES Blades: Matt White

### 110187

Stainless Steel 36"/92cm Light: 3x60w Max SES Blades: Silver Blade Reverse: Washed Oak

#### 110521

Gloss White & Stainless Steel 36"/92cm Light: 3x60w Max SES Blades: Matt White



Stainless Steel 36"/92cm Light: 3x60w Max SES Blades: Washed Oak Blade Reverse: Silver

#### 110200

Gloss White 36"/92cm Light: 3x60w Max SES Blades: Matt White












MAX AIRFLOW 4720 CU/FT PER MINUTE

# **KEY FEATURES AND BENEFITS**

- Can be upgraded to remote control operation
- Independent pull cord operates 3 speeds in forward & reverse and light on/off
- 3 x 60w (Max) SES. Bulbs not included
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Can be fitted with a drop rod rather than flush mounted, conversion kit required



## **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for small bedrooms, hallways and space-restricted areas



Small but perfectly formed

### 115557

Brushed Nickel 28"/711mm Blades: Maple

Blades Reverse: Dark Oak Light: 18w LED 4000k

### 115540

White 28"/711mm Blades: Maple Blades Reverse: Dark Oak Light: 18w LED 4000k



Note that the Kompact is a dual mount ceiling fan so it can be flush or drop mounted straight out of the box








MAX AIRFLOW 4280 CU/FT PER MINUTE

# **KEY FEATURES AND BENEFITS**

- Can be upgraded to remote control operation
- Independent pull cord operates 3 speeds in forward & reverse and light on/off
- LED Light 18w, 4000k, 1310 lumen
- Reverse Switch on Motor Use in Summer for Cooling and in Winter to re-circulate warm air
- Longer drop rods available



# **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for small bedrooms, hallways and space-restricted areas



20 degrees

Fun Fact: When mounted on a drop rod,

Neptune (like all drop mounted fans) can accommodate a sloping ceiling up to

Timeless style, remote control, dual mount



White 54"/1370mm Blades: White

### 115861

White 44"/1120mm Blades: White

### 115854

Brushed Nickel 54"/1370mm Blades: Silver

#### 115878

Brushed Nickel 44"/1120cm Blades: Silver

The Neptune ceiling fan is a dual-mount fan so it can either be mounted with its drop rod OR flush mount (shown here) straight out of the box





MAX
POWER
CONSUMPTION
105w
ON HIGH SPEED WITH
LIGHT SWITCHED ON






### Timeless design

- Complete with remote control system offering 3 speeds in forward & reverse and light on/off/dim
- 20w 3000k 940 Lumen Dimmable LED light

**KEY FEATURES AND BENEFITS** 

- Available in 2 sizes, 54"/137cm or 44"/112cm overall diameter to suit most room sizes
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm air. Reverse switch on motor
- Longer drop rods available



### **INSTALLATION**

- Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow



# Belaire

### 110477

White 42"/1070mm
Blades: Matt White
Blade Reverse:
Matt White & Cane
Light: 3 x 60w (max) SES
The same model is shown in
Fig. with its (inc)12"/30cm
drop rod attached

3 114239

Brushed Nickel 42"/1070mm

**Blades: Maple** 

Blade reverse: Dark Oak Light: 3x60w (max) SES


### 4 114192

Polished Brass 42"/1070mm Blades: Matt Oak & Cane Blade reverse: Mahogany Light: 3x60w (max) SE

### 5 110095

White 42"/1070mm Blades: Matt White & Cane Blades reverse: White






ON HIGH SPEED WITH LIGHT SWITCHED ON (3 x 9w Bulbs not inc)

### **KEY FEATURES AND BENEFITS**

- Dual Mount Can be flush or drop mounted straight out of the box
- Pull cord operation as standard, 3 speeds and light on/off
- 3 x60w (max) E14 SES Light Bulbs not included
- You can add a remote control system offering 3 speeds in forward & reverse and light on/off/dim (See P26)
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm air. Reverse switch on motor
- Longer Drop rods available



**PER MINUTE** 

### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Please note that the Belaire ceiling fan will accept an SES LED light bulb when used with pull cords. **IF** a remote control is to be used then please check compatibility with the dimming function of the light bulbs. With some brands flicker can occur



A great value entry level model



White 42"/1070mm

#### 117490

White 36"/920mm

Light: 3x60w (max) SES

**Blades: White** 





The Montana ceiling fan is a dual-mount fan so it can either be mounted with its drop rod (shown here) OR flush mount straight out of the box

Please note that the Montana ceiling fan will accept an SES LED light bulb when used with pull cords. IF a remote control is to be used then please check compatibility with the dimming function of the light bulbs. With some brands flicker can occur




MAX **POWER CONSUMPTION** ON HIGH SPEED WITH

(3 x 9w Bulbs not inc

MAX **AIRFLOW** 4300 CU/FT **PER MINUTE** 

## **KEY FEATURES AND BENEFITS**

- Dual Mount Can be flush or drop mounted straight out of the box
- Pull cord operation as standard, 3 speeds and light on/off
- 3 x60w (max) E14 SES Light Bulbs not included
- You can add a remote control system offering 3 speeds in forward & reverse and light on/off/dim. Note that a remote control can only be added if the fan is to be installed drop mounted.
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm air. Reverse switch on motor
- Longer Drop rods available



### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for Smaller Bedrooms, Hallways, Particularly lower ceilings



Compact and close coupled

### 111573

White 30"/762mm Light: 1x60w SES Golf Ball Blades: White



Fun Fact: When flush mounted the Atlanta is one of the 'flushest' fans we offer. Ideal for lower ceilings.

### 114390

Brushed Nickel 30"/762mm Light: 1x60w SES Golf Ball Blades: White



The Atlanta ceiling fan is a dual-mount fan so it can either be mounted with its drop rod OR flush mount straight out of the box




MAX
POWER
CONSUMPTION
105w
ON HIGH SPEED WITH
LIGHT SWITCHED ON

MAX AIRFLOW 4430 CU/FT PER MINUTE

### **KEY FEATURES AND BENEFITS**

- Compact and close coupled
- Pull cord operation as standard, 3 speeds and light on/off
- 60w Light Bulb not included
- You can add a remote control system offering 3 speeds in forward & reverse and light on/off/dim
- Reversible Use in Summer for Cooling and in Winter to re-circulate warm air. Reverse switch on motor
- Longer Drop rods available



### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Ideal for Smaller Bedrooms, Hallways, Particularly lower ceilings



# Commercial Fans

Great for warehouses and offices with high ceilings

Fun Fact: When spinning on high speed, the blade tip of a 56"/142cm Commercial Fan travels at almost



White 36"/920mm **Blades: White** 

12"/30cm drop rod included

### 111887

White 48"/1220mm **Blades: White** 12"/30cm & 24"/60cm drop rods included


### 111894


White 56"/1420mm **Blades: White** 12"/30cm & 24"/60cm drop rods included














333029 SIC-1 Controls 1 x fan forward only





### **KEY INFORMATION**

- Minimum 10ft/3m floor to blade clearance required for metal bladed fans
- Efficient air movement
- Use in Summer for cooling and in Winter to re-circulate warm air.
- Note that a wall control is required for reverse function to operate

# **Dimensions** in MM 910/1220/1440

### **INSTALLATION**

- ★ Always fix to a ceiling joist
- ★ 2 core + Earth wiring required
- ★ Isolation switch recommended
- ★ Ensure minimum clearance of 8"/20cm all around blades for effective airflow

Note that commercial fans are note recommended for domestic installations



# Accessories & Spares



Controls and spare parts

#### 331759 - M3 Remote Control System

RF remote system to suit to suit Mayfair, Capri, Classic & Belaire Fans. Note that this remote system is only compatible with ceiling fans that come with pull cords as standard. Other fans have specific remote control which are not compatible.



#### **Conversion Kit**

Used to convert Mayfair and Capri fans from flush mount to drop mount. Note that the use of a conversion kit will also require a drop rod of the required length to be purchased

331049 - Stainless Steel

330257 - Gloss White

330035 - Chrome

330028 - Antique Brass

331063 - Matt Black



#### 449003 - Fan Duster



Ideal for cleaning those hard-to-reach parts of your ceiling fan.

### **441199** - Big Strip Fastener



This is a fixing for use in conservatories where it can be hard to get a good fixing with just two screws.

#### **Drop Rods**

Used with a conversion kit to convert flush mount to drop mount fans OR used to replace the rod a drop mounted fan comes with. Note that drop rods come in two different diameters of 22 or 27mm OD. Please check compatibility before ordering. Also, Luna and Sirocco fans have their own specific drop rods.







At Fantasia we aim to make the best possible ceiling fans. However, we know they won't last forever, that's why we try to keep spare parts for Fantasia Ceiling Fans for at least 10 years from the date we discontinue a product. We should note that this isn't always possible but we have been fairly successful at it over the last 40 years.

# Pull Cord Chain-1m

330547 - Pewter 330233 - Chrome 330226 - Pol. Brass

## Dangler

440116 - Pewter **440123** - Chrome

440109 - Pol. Brass

#### Reverse Switch 441038 - White **441045** - Black

**441076** - Blk (Viper)

441069 - Wh (Viper)

#### Light Pull Switch 440734 - Pewter

**440727** - Chrome

440703 - Pol. Brass

## Speed Pull Switch

440635 - Pewter 440628 - Chrome

440611 - Pol. Brass

# Start Capacitor

440826 - Std Fans

440819 - Viper only 440772 - Commercial

Amorie Shade Rings **441557** - Set of 3

Speed Capacitor

440802 - Mayfair/Capri


























# Safety

- ★ Ensure ceiling fan is isolated from power for at least 2 hours before commencing work.
- ★ Test for power isolation against a known source.
- ★ If in any doubt then consult a qualified Electrician









Fantasia Distribution Ltd Britannia House Faraday Way Orpington BR5 3QW United Kingdom

01959 564440 www.fantasiaceilingfans.com info@fantasiaceilingfans.com